



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

646.3610
Job Sheet 186245



Part No: 646.3610

Job Qty: 16 ea

Part Name: Filler



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 11/13/18

Job Tracking No:

Due Date: 11/28/18

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: 646.3600 REV.NC IPP REV:A 18.03.06 NEW ISSUE DD VERF:JFS

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	16 Ea	11/28/18	11/28/18	0.00	0.00	Start Up Machining-1		DAS 18/11/26
105	Bandsaw	16 pcs	11/28/18	11/28/18	0.00	0.80	Bandsaw1		52 18/11/26
110	CNC Vertical Machining	16 pcs	11/28/18	11/28/18	0.20	5.16	HAAS1-1		9-89 18/11/26
120	QC	16 pcs	11/28/18	11/28/18	0.00	0.00	QC2 Machining-1		18/11/26
130	QC	16 pcs	11/28/18	11/28/18	0.00	0.00	QC8 Machining-1		mmml 18/11/26
140	Outsource	16 pcs	11/28/18	11/28/18			ATG001-VC	5	DEC 18-11-26
150	Packaging	16 pcs	11/28/18	11/28/18	0.00	0.00	Packaging2		DEC 18 2018
155	QC	16 pcs	11/28/18	11/28/18	0.00	0.00	QC6		DEC 20 2018
180	Packaging	16 pcs	11/28/18	11/28/18	0.00	0.00	Packaging3-1		9-89
190	QC21-SA	16 Ea	11/28/18	11/28/18	0.00	0.00	QC21		DAS 21 DEC 21 2018

Part Op 105 - Cut blanks at 4.90"

Descriptions: 110 - 1-Machine per DWG AND FOLIO FB493 DWG REV: _____ FOLIO REV: _____ 2- deburr and break all sharp edges

140 - Issue P/O to ATG : _____ 1- Hard Anodize Black and Prime as per Dwg 646.3600

180 - ***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
M6061T6B0.750X01.000	6061-T6 Bar .750 X 1.00	6.7200 ft (.42 ea)	90-Start up Operation	5008422 x 15 068501 x 1

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	M6061T6B0.750X01.000	7	22	0

Part Specifications

Spec No	Description	Target/Tolerance	Limits	Type	Special Comments
1	Filler	4.69inches ± 0.0	4.72 4.66	4.690	
2	Filler	3.53inches ± 0.0	3.56 3.50	3.530	
3	Filler	0.600inches ± 0.030 0.005	0.630 0.570	0.600	

5131480

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="width:15%;">Skid-tube ☐</td> <td style="width:15%;">Cross tube ☐</td> <td style="width:15%;">Water Jet ☐</td> <td style="width:15%;">Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coor. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>				Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																																																																									
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																																																												
Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐																																																																																																												
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																																																																												
Large Fab ☐	Composite ☐	Supplier ☐																																																																																																													
Date : _____		Step #: _____		QTY Effective : _____		MRB (QSI042) Approval																																																																																																									
Description Work Order Deviation				Disposition																																																																																																											
Dart Aerospace Ltd. 1270 Aberdeen Street Newkensbury, ON K6A 1K7 CANADA TEL.: 1 613 632-5200 Email: sales@dartaero.com www.dartaerospace.com Date: 11/26/18 Container No: S131480 Part: 646.3610 Job No: 186245 Serial No/Batch: S131480 Revision: NC Inspector: Exp Date: Instructions:				Completed By																																																																																																											
				Lead hand / Supervisor Approval Verification																																																																																																											
				QC / QA Coordinator Approval																																																																																																											
<table border="1" style="width:100%; border-collapse: collapse; font-size: 8px;"> <tr> <th colspan="4" style="text-align: left;">Root Cause</th> <th colspan="4" style="text-align: left;">Failure Category</th> </tr> <tr> <td style="width:15%;">Environment ☐</td> <td style="width:15%;">No Re-vel ☐</td> <td style="width:15%;">Crushing ☐</td> <td style="width:15%;">Heat Treat ☐</td> <td style="width:15%;">Cut too short ☐</td> <td style="width:15%;">Instructions Incomplete/Unclear ☐</td> <td style="width:15%;">Drill Holes ☐</td> <td style="width:15%;">Misaligned/off center ☐</td> </tr> <tr> <td>Design ☐</td> <td>Operator ☐</td> <td>Heat Treat ☐</td> <td>Wave/Twist in Tube ☐</td> <td>Instructions Incomplete/Unclear ☐</td> <td>Drill Holes ☐</td> <td>Misaligned/off center ☐</td> <td></td> </tr> <tr> <td>Doc/Data ☐</td> <td>Offset/S ☐</td> <td>Wave/Twist in Tube ☐</td> <td>Marks/Chatter ☐</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Equip/Tooling ☐</td> <td>Supplier ☐</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Handling/Pre ☐</td> <td>Training ☐</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Material ☐</td> <td>Use for ☐</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Internal Transport ☐</td> <td>Poor Information ☐</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Tribal Knowledge ☐</td> <td>Rushing ☐</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>LOA ☐</td> <td>Product Improvement ☐</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Substation ☐</td> <td>Process Improvement ☐</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Past Expiry Date ☐</td> <td>Manufacturing Process ☐</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Misidentified ☐</td> <td>Past Due ☐</td> <td colspan="6" style="text-align: center;">OTHER : _____</td> </tr> </table>								Root Cause				Failure Category				Environment ☐	No Re-vel ☐	Crushing ☐	Heat Treat ☐	Cut too short ☐	Instructions Incomplete/Unclear ☐	Drill Holes ☐	Misaligned/off center ☐	Design ☐	Operator ☐	Heat Treat ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Drill Holes ☐	Misaligned/off center ☐		Doc/Data ☐	Offset/S ☐	Wave/Twist in Tube ☐	Marks/Chatter ☐					Equip/Tooling ☐	Supplier ☐							Handling/Pre ☐	Training ☐							Material ☐	Use for ☐							Internal Transport ☐	Poor Information ☐							Tribal Knowledge ☐	Rushing ☐							LOA ☐	Product Improvement ☐							Substation ☐	Process Improvement ☐							Past Expiry Date ☐	Manufacturing Process ☐							Misidentified ☐	Past Due ☐	OTHER : _____					
Root Cause				Failure Category																																																																																																											
Environment ☐	No Re-vel ☐	Crushing ☐	Heat Treat ☐	Cut too short ☐	Instructions Incomplete/Unclear ☐	Drill Holes ☐	Misaligned/off center ☐																																																																																																								
Design ☐	Operator ☐	Heat Treat ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Drill Holes ☐	Misaligned/off center ☐																																																																																																									
Doc/Data ☐	Offset/S ☐	Wave/Twist in Tube ☐	Marks/Chatter ☐																																																																																																												
Equip/Tooling ☐	Supplier ☐																																																																																																														
Handling/Pre ☐	Training ☐																																																																																																														
Material ☐	Use for ☐																																																																																																														
Internal Transport ☐	Poor Information ☐																																																																																																														
Tribal Knowledge ☐	Rushing ☐																																																																																																														
LOA ☐	Product Improvement ☐																																																																																																														
Substation ☐	Process Improvement ☐																																																																																																														
Past Expiry Date ☐	Manufacturing Process ☐																																																																																																														
Misidentified ☐	Past Due ☐	OTHER : _____																																																																																																													

4	Filler	0.63inches ± 0.01	0.66 0.60	0.630
5	Filler	0.300inches ± 0.010 0.005	0.310 0.290	0.300
6	Filler	0.375inches ± 0.010 0.005	0.385 0.365	0.374
7	Filler	2.400inches ± 0.002	2.402 2.398	2.400
8	Filler	0.670inches ± 0.002	0.672 0.668	0.670
9	Filler	27.500Degrees ± 0.500	28.000 27.000	27.5° Angle
10	Filler	0.209inches + 0.005 - 0.001	0.214 0.208	0.210

DAS
52
9-89

18/11/26

Plex 11/13/18 10:36 AM Dart.lajeunesse.marie

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width: 100%; border: none;"> <tr> <td style="width: 15%;">Skid-tube ☐</td> <td style="width: 15%;">Cross tube ☐</td> <td style="width: 15%;">Water Jet ☐</td> <td style="width: 15%;">Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																																	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																																						
Large Fab ☐	Composite ☐	Supplier ☐																																																																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																																		
Description Work Order Deviation				Disposition				Completed By																																																																	
								Lead hand / Supervisor Approval Verification																																																																	
								QC / QA Coordinator Approval																																																																	
Root Cause				FAULT CATEGORY																																																																					
<table style="width: 100%; border: none;"> <tr><td>Environment ☐</td><td>No Re-verification ☐</td></tr> <tr><td>Design ☐</td><td>Operator ☐</td></tr> <tr><td>Doc/Data ☐</td><td>Offset/Setup ☐</td></tr> <tr><td>Equip/Tooling ☐</td><td>Supplier ☐</td></tr> <tr><td>Handling/Pre ☐</td><td>Training ☐</td></tr> <tr><td>Material ☐</td><td>Use for Testing ☐</td></tr> <tr><td>Internal Transport ☐</td><td>Poor Information ☐</td></tr> <tr><td>Tribal Knowledge ☐</td><td>Rushing ☐</td></tr> <tr><td>LOA ☐</td><td>Product Improvement ☐</td></tr> <tr><td>Substation ☐</td><td>Process Improvement ☐</td></tr> <tr><td>Past Expiry Date ☐</td><td>Manufacturing Process ☐</td></tr> <tr><td>Misidentified ☐</td><td>Past Due ☐</td></tr> </table>				Environment ☐	No Re-verification ☐	Design ☐	Operator ☐	Doc/Data ☐	Offset/Setup ☐	Equip/Tooling ☐	Supplier ☐	Handling/Pre ☐	Training ☐	Material ☐	Use for Testing ☐	Internal Transport ☐	Poor Information ☐	Tribal Knowledge ☐	Rushing ☐	LOA ☐	Product Improvement ☐	Substation ☐	Process Improvement ☐	Past Expiry Date ☐	Manufacturing Process ☐	Misidentified ☐	Past Due ☐	<table style="width: 100%; border: none;"> <tr><td>Pressure/Forced ☐</td><td>Temperature/Cure ☐</td><td>Power Loss/Surge ☐</td><td>Positioned Wrong ☐</td></tr> <tr><td>Bending ☐</td><td>Set-up ☐</td><td>Folio/Program ☐</td><td>Outside Dimensions ☐</td></tr> <tr><td>Centre Not Concentric ☐</td><td>BOM/Route ☐</td><td>Grain ☐</td><td>Over/Under tolerance ☐</td></tr> <tr><td>Cracks ☐</td><td>Broken/Damage/Defect ☐</td><td>Weld ☐</td><td>Part Incorrect ☐</td></tr> <tr><td>Crimp/Kink/Ripple/Wave ☐</td><td>Inspection Incomplete/Unqualified ☐</td><td>Wrong Stock Pulled ☐</td><td>Part Lost/Missing ☐</td></tr> <tr><td>Cuffs ☐</td><td>Contamination ☐</td><td>Out of Sequence ☐</td><td>Part Moved ☐</td></tr> <tr><td>Crushing ☐</td><td>Countersink ☐</td><td>Off-set ☐</td><td>Drawing ☐</td></tr> <tr><td>Heat Treat ☐</td><td>Cut Too Short ☐</td><td>Mislabeled ☐</td><td>Finish ☐</td></tr> <tr><td>Wave/Twist in Tube ☐</td><td>Instructions Incomplete/Unclear ☐</td><td>Fit/Function ☐</td><td>Misread ☐</td></tr> <tr><td>Marks/Chatter ☐</td><td>Drill Holes ☐</td><td>Misaligned/off center ☐</td><td>Turning Sequence ☐</td></tr> </table>						Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Environment ☐	No Re-verification ☐																																																																								
Design ☐	Operator ☐																																																																								
Doc/Data ☐	Offset/Setup ☐																																																																								
Equip/Tooling ☐	Supplier ☐																																																																								
Handling/Pre ☐	Training ☐																																																																								
Material ☐	Use for Testing ☐																																																																								
Internal Transport ☐	Poor Information ☐																																																																								
Tribal Knowledge ☐	Rushing ☐																																																																								
LOA ☐	Product Improvement ☐																																																																								
Substation ☐	Process Improvement ☐																																																																								
Past Expiry Date ☐	Manufacturing Process ☐																																																																								
Misidentified ☐	Past Due ☐																																																																								
Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐																																																																						
Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐																																																																						
Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐																																																																						
Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐																																																																						
Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐																																																																						
Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐																																																																						
Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐																																																																						
Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐																																																																						
Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐																																																																						
Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐																																																																						
OTHER :																																																																									



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041883**

Supplier: ATG001-VC
A.T.G. Industries Inc
731 INDUSTRIELLE ROAD
ROCKLAND
ON
K4K 1T2 Canada
Phone: 613-446-4544
Fax: 613-446-4556

Attention: Lalande, Marc-Andre

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO041883
PO Date: 11/28/18
Due Date: 12/11/18
Purchase Order
Revision:
Revision Date:
Ship-To Contact: Tsimiklis, ChrisoulaPhone:

Via: Ground
Pymt Terms: Net 30

Freight Terms:
Special Comments:

*revised PO

Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	178970	RBE703A94-1130-01-27	Tab Adjuster Body -Issue P/O to ATG: -ANODIZE COLOR CLEAR, PER IAW MIL-A-8625F TYPE 2 CLASS 1 Water seal -Certificate of Conformity is required	Firmed	-	11/30/18	5 pcs	0 pcs	5 pcs	\$5.80/pcs	\$29.00
5X NOV 30 2018 [Signature]											
Line Item Note ** ASAP by Friday morning **											
2	184442	RBT18601	Main Rotor Swashplate ReGreasing Tool -Issue P/O to ATG; PO -ANODIZE COLOR RED, PER IAW MIL-A-8625 TYPE-2 CLASS-2, Water sealant -Material type; -Certificate of Conformity is required	Firmed	-	11/30/18	8 pcs	0 pcs	8 pcs	\$5.80/pcs	\$46.40
8X NOV 30 2018 [Signature]											
Line Item Note ** ASAP by Friday morning **											



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041883**

Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
3	185913	C45-1-1	Manual Knob Release -Issue P/O to ATG; PO -ANODIZE COLOR RED, PER IAW MIL-A-8625 TYPE-2 CLASS-2, Water sealant -Material type; 6061 -Certificate of Conformity is required As Per DWG C45-1-1	Firmed	-	11/30/18	10 pcs	0 pcs	10 pcs	\$5.80/pcs	\$58.00

10 x NOV 30 2018

Line Item Note ** ASAP by Friday morning **

4	185767	646.3812	Gusset Bracket Issue P/O to ATG: AS PER MPP-172 SECTION 2.1, HARD ANODIZE COLOR BLACK, PER IAW MIL-A-8625 TYPE 3 CLASS 2 AS PER MPP-172 SECTION 4.3, PRIME CARDINAL 7760-4702 LOW VOC EPOXY PRIMER (LIGHT GRAY) Certification of Conformity is required	Firmed	-	12/5/18	20 pcs	0 pcs	20 pcs	\$7.20/pcs	\$144.00
---	--------	----------	---	--------	---	---------	--------	-------	--------	------------	----------

20 x DEC 18 2018



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041883**

Items											
Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
5	185768	646.3813	AS350 Strut Bracket Issue P/O to ATG: AS PER MPP-172 SECTION 2.1, HARD ANODIZE COLOR BLACK, PER IAW MIL-A-8625 TYPE 3 CLASS 2 AS PER MPP-172 SECTION 4.3, PRIME CARDINAL 7760-4702 LOW VOC EPOXY PRIMER (LIGHT GRAY) Certification of Conformity is required	Firmed	-	12/5/18	20 pcs	0 pcs	20 pcs	\$7.20/pcs	\$144.00
6	186252	650.9201	Eyelet Bracket Assembly Issue P/O to ATG : Hard Anodize, Color Black and Prime as per Dwg 650.9200	Firmed	-	12/6/18	20 pcs	0 pcs	20 pcs	\$7.70/pcs	\$154.00
7	186245	646.3610	Filler Issue P/O to ATG : 1- Hard Anodize Black and Prime as per Dwg 646.3600	Firmed	-	12/11/18	16 pcs	0 pcs	16 pcs	\$7.70/pcs	\$123.20



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041883**

Items											
Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
8	185766	646.3810	Bracket Issue P/O to ATG: AS PER MPP-172 SECTION 2.1, HARD ANODIZE COLOR BLACK, PER IAW MIL-A- 8625 TYPE 3 CLASS 2 AS PER MPP-172 SECTION 4.3, PRIME CARDINAL 7760-4702 LOW VOC EPOXY PRIMER (LIGHT GRAY) Certification of Conformity is required	Firmed	-	12/5/18	20 pcs 21	0 pcs	20 pcs	\$7.65/pcs	\$153.00
9	185799	646.9710	Body Issue P/O to ATG : Hard Black Anodize Color Black and Prime as per Dwg 646.9700	Firmed	-	12/6/18	10 pcs 10	0 pcs	10 pcs	\$15.60/pcs	\$156.00
10	186661	RBT112800-1	Base -Issue P/O to ATG: ANODIZE COLOR CLEAR, PER IAW MIL-A-8625F TYPE 2 CLASS 1 WATER SEAL As per Dwg RBT112800 Rev. 3A -Certificate of Conformity is required	Firmed	-	12/6/18	13 pcs 13	0 pcs	13 pcs	\$5.80/pcs	\$75.40
Grand Total:											\$1,083.00



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO041883

Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)

A022 Apical Processing
A024 process certifications
A026 certification of material conformance

A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 11/30/18 10:12 AM dart.tsimiklis.chrisoula



A.T.G. Industries Inc.
731 Industrielle Street
Rockland, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 916826

Date: 17-Dec-18

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chrisoula Tsimiklis
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
		ATG Delivery	
Quantity	Description		
	Please reference this document's Pack List number on all correspondences regarding this shipment. If you have any questions, please contact us.		
✓ 20 ea	Part: 646.3812 ✓ Gusset Bracket Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 24227		Rev: N/C PO: PO041883 ✓ Line: 4
✓ 20 ea	Part: 646.3813 ✓ AS350 Strut Bracket Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 24228		Rev: NC PO: PO041883 ✓ Line: 5
✓ 20 ea	Part: 650.9201 ✓ Eyelet Bracket Assembly Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 24229		Rev: A PO: PO041883 ✓ Line: 6
✓ 16 ea	Part: 646.3610 ✓ Filler Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 24230		Rev: N/C PO: PO041883 ✓ Line: 7
✓ 21 ea	Part: 646.3810 ✓ Bracket Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 24230		Rev: NC PO: PO041883 ✓ Line: 7
Made in Canada.			



A.T.G. Industries Inc.
731 Industrielle Street
Rockland, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 916826

Date: 17-Dec-18

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chrisoula Tsimiklis
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
		ATG Delivery	
Quantity	Description		
	- .9 mils) per drawing. Job: 24231	PO: PO041883 ✓	Line: 8
CERTIFICATE OF CONFORMANCE A.T.G Industries Inc. certifies that all items in this shipment conform to the requirements. Date: <u>17/12/2018</u> Certified Signature: <u>[Signature]</u> Receiver Signature: _____ A.T.G Industries Inc. is AS9100 Registered and Nadcap Chemical Processing Accredited. Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt.			
Made in Canada.			

